



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MECHANICS.

167. Proposed by EDWIN S. CRAWLEY, Ph. D., Head Professor of Mathematics in the University of Pennsylvania.

An anchor ring or torus is produced by the revolution of a circle of radius r , the center of the revolving circle describing a circle of radius R . A quadrant of the torus is cut by two planes through the center of the ring perpendicular to each other and perpendicular to the plane of revolution. Determine the limiting value of the ratio $R:r$, so that when the quadrant thus formed is placed with one of its ends in coincidence with a horizontal plane it will rest in that position.

AVERAGE AND PROBABILITY.

153. Proposed by J. E. SANDERS, Hackney, Ohio.

Three circles, radii $c=1/6a$, are at random within the circumference of a given circle, radius a . Find the chance that (1) all three intersect, (2) two only intersect, (3) none intersect.

NOTES.

Professor Glover of the University of Michigan is giving a two-hour course on Annuities and Insurance.

Associations of Mathematics Teachers have been organized in the States of Kansas and Washington. The former has adopted *School Mathematics* as its official organ.

A Congress of Mathematicians will be held at Heidelberg, Germany, in July to celebrate the hundredth anniversary of Jacobi's birthday. An International Congress of Mathematicians is to be held at St. Louis during the week beginning September 19, 1904.

The current number of the *Transactions of the American Mathematical Society* (January, 1904) contains the following articles: The subgroups of order a power of 2 of the simple quinary orthogonal group in the Galois field of order $p^n=8l\pm 3$, by L. E. Dickson; On certain invariants of two triangles, by J. G. Hun; Isothermal systems of geodesics, by E. Kasner; Zur Gruppentheorie mit Anwendungen auf die Theorie der linearen homogenen Differentialgleichungen, by Alfred Loewy; On the group of the sign $(0, 3; 2, 4, \infty)$ and the functions belonging to it, by J. W. Young; On the definition of reducible hypercomplex number systems, by Saul Epstein; A simple proof of a theorem in the calculus of variations, by E. Goursat.

On February 22nd, at Columbus, Ohio, met a conference in which a very large number of the educational institutions of the State were represented, to form a State organization in the interests of pure science. Dr. George Bruce Halsted, now of Kenyon College, was called upon to preside, and the name chosen was the "Association of Ohio Teachers of Mathematics." The meeting for finally perfecting the organization and adopting the constitution will be held at the end of March or near the beginning of April. At this meeting there will also be a highly important program of papers and discussions. F.